GREASE INTERCEPTORS

FULL FREIGHT ALLOWED

С

Outperforms Concrete Just as economical Full freight allowed!



Because concrete interceptors aren't all they're cracked up to be...

A concrete interceptor might seem like a 'solid' idea at the time. But before too long that concrete will begin to break down. Ever-widening cracks in the concrete, and its inherent porosity, bring the potential for leakage of waste material into the surrounding area, and seepage into the water table. With today's tough environmental standards, and federal, state and local regulations more stringent than ever, what seemed like such a 'concrete' idea at the time won't hold much water.

Why take a chance on concrete, when there's a better alternative made from steel? The new RGI Series from Rockford Separators. Solid!



The new RGI Grease Interceptors: designed to outperform concrete at every level.

Leave it to Rockford Separators to develop a superior, and highly economical alternative to concrete grease interceptors. It's called the RGI Series. Because they're steel, the RGI series are inherently lighter, stronger, and more durable and reliable than concrete. Installation is easier, faster and more economical too, since the RGI goes in as a single, integral unit, vs. the more time-consuming assembly on-site of multiple concrete sections.



Priced right.

But what really makes the RGI so attractive as compared to both concrete and competitive steel units is the price. Rockford Separators has aggressively driven down RGI production costs, as well as offering Full Freight Allowed terms in the 48 states. So the cost of getting the RGI to the job site now is not an issue.

Strength - and flexibility.

Concrete might look good on paper – until you start trying to fit it to your particular application. Will the concrete unit have to be modified onsite to get the riser heights right? The RGI's riser heights are built to your specifications, and integrated into the structure itself. With 17 models and holding capacities ranging from 350 gallons to 10,000 gallons, meeting your requirements has never been faster, easier or more economical. The RGI even comes standard with an H-20 load rating.



Easy, economical installation...built to your specs!


Pick it up, drop it in, start using it. With RGI's light, single-piece steel construction, it's that simple. With concrete – not so much. Heavy, multiple piece assembly is usually required, taking more time, equipment and manpower. In addition, the RGI can be built to your specs, with riser heights tailored to your particular installation requirements, and already integrated into the unit when it arrives on-site. With concrete, extra steps, and more costly installation time, are needed to get it right.

	Liquid	Greasy		Top to Center		Bottom to Center					
Model	Holding Capacity	Sludge Capacity	Pipe Size	Outlet* A	Inlet* B	Outlet C	Inlet D	Width E	Length F	Height* G	Shipping Weight
RGI-350	350	1,764	4.00	18.00	16.00	42.00	44.00	42.00	48.00	54.00	1,200
RGI-500	500	2,520	4.00	18.00	16.00	42.00	44.00	48.00	60.00	54.00	1,450
RGI-750	750	3,780	4.00	18.00	16.00	48.00	50.00	48.00	84.00	60.00	1,900
RGI-1,000	1,000	5,040	4.00	18.00	16.00	48.00	50.00	54.00	96.00	60.00	2,200
RGI-1,250	1,250	6,300	4.00	16.00	14.00	50.00	52.00	60.00	102.00	60.00	2,500
RGI-1,500	1,500	7,560	4.00	16.00	14.00	50.00	52.00	60.00	120.00	60.00	2,800
RGI-2,000	2,000	10,080	4.00	16.00	14.00	50.00	52.00	72.00	144.00	60.00	3,100
RGI-2,500	2,500	12,600	6.00	16.00	14.00	50.00	52.00	84.00	144.00	60.00	5050
RGI-3,000	3,000	15,120	6.00	16.00	14.00	54.00	56.00	96.00	144.00	64.00	5650
RGI-3,500	3,500	17,640	6.00	16.00	14.00	62.00	64.00	96.00	144.00	72.00	6100
RGI-4,000	4,000	20,160	6.00	15.00	13.00	70.00	72.00	96.00	144.00	79.00	6,400
RGI-5,000	5,000	25,200	6.00	15.00	13.00	75.00	77.00	96.00	168.00	84.00	8,000
RGI-6,000	6,000	30,240	6.00	15.00	13.00	81.00	83.00	96.00	185.00	90.00	9,000
RGI-7,000	7,000	35,280	6.00	15.00	13.00	81.00	83.00	96.00	216.00	90.00	10,000
RGI-8,000	8,000	40,320	6.00	15.00	13.00	81.00	83.00	96.00	247.00	90.00	11,000
RGI-9,000	9,000	45,360	6.00	15.00	13.00	81.00	83.00	96.00	278.00	90.00	12,000
RGI-10,000	10,000	50,400	6.00	15.00	13.00	81.00	83.00	102.00	300.00	90.00	14,000

*Shown with standard 6" tall manway. Specify your requirement.

Job Specification: Grease interceptors shall be Rockford Interceptors as manufactured by Rockford Sanitary Systems, Inc., Rockford, Illinois, and as noted on plans.

Interceptor Specifications: Rockford Model **RGI**_____ all-welded steel gravity grease interceptor, with _____ gallon capacity, _____ " threaded inlet/outlet connections, removable 3/8" nonskid diamond tread-plate cover for flush with grade installation suitable for heavy truck traffic, secured with stainless steel flat head screws heavy duty leak-proof gasket, and bituminous coating outside.





5159 28th Avenue • Rockford, IL 61109 • 815.229.5077 • 800.747.5077 • Fax 815.229.5108

www.rkfdseparators.com